

UINTA COUNTY RIGHT-OF-WAY ENCROACHMENT LICENSE

Maintenance and Tie-ins (Form R-2)

Submit Application to Uinta County Planning
225 9th Street Evanston WY 82930
(307)783-0318

Uinta County, herein after called the "COUNTY," hereby grants a license to _____, hereinafter called the "APPLICANT," for the following:

_____ Road Crossing Maintenance Length (Ft) _____
_____ Paralleling Road Maintenance Length(Ft) _____
_____ Tie-in _____ Other (specify) _____

located in:

Section _____ Township _____ Range _____
Section _____ Township _____ Range _____
Section _____ Township _____ Range _____
County Road No. _____ Mile Post _____

ACCESS CONTROLLED: YES _____ NO _____

Upon the property of COUNTY, acquired for and utilized in the operation and maintenance of a county road, the Applicant hereby acknowledges and agrees to the following:

1. The Uinta District Road and Bridge Foreman will be notified at least twenty-four (24) hours prior to **and** after completion of construction (Evanston and Bridger Valley: 307-782-3254). Emergency repairs may be completed immediately with the District Road and Bridge Foreman to contacted within 24 hours for a license.
2. The maintenance, use, inspection and access to the facility shall be accomplished and secured from locations outside of the lines of no access or access control. Ingress and egress to and from any part of the facility from the through travel ways is expressly forbidden (applicable to access controlled facilities only).
3. The alignment and grade, clearance, materials, pressures, land ties and mile post ties (if applicable) are shown and marked on Exhibit "A," attached hereto and by this reference made a part hereof.
4. The license will not be modified, transferred, or assigned without the consent of COUNTY.
5. APPLICANT agrees to conform to the standards for traffic control outlined in the Manual of Uniform Traffic Control Devices (MUTCD). APPLICANT must cease all operations if the traffic control standards are not met.
6. APPLICANT agrees to forever indemnify COUNTY and save it harmless from all liability for damage to property or injury to or death of persons, including all costs and expenses related thereto arising wholly or in part or in connection with the existence of construction, alterations, repairs, renewals, uses or removals of the facility as they pertain to any county road.
7. Any County road or right-of-way impacted by the encroachment will be repaired and left in a condition equal to or better than the original condition. Any costs incurred by the County to return the road or right-of-way to its original condition will be billed to the applicant.
8. COUNTY does not warrant title to the property covered by this license nor does this license grant an easement within the road right-of-way.
9. This license does not become effective until the facility maintenance or tie-in has been inspected and approved.

THE FOLLOWING INFORMATION TO BE COMPLETED BY THE APPLICANT

FACILITY OWNER _____

CONSTRUCTION FIRM NAME _____

OWNER MAILING ADDRESS _____

CITY _____ STATE _____ ZIP CODE _____

SITE ADDRESS (if applicable) _____

TELEPHONE NO. _____ FAX NO. _____

Applicant Signature

Date

THE FOLLOWING INFORMATION TO BE COMPLETED BY THE COUNTY

This application is approved for construction subject to the stipulations checked on the attached Form R-1A.

BY: _____
 Uinta County Planning Department

Date _____

I have inspected the work described on this application and the attached drawing(s) and have found the work to be completed as prescribed.

BY: _____
 Uinta County Road and Bridge Foreman

Date _____

Right-of-Way Encroachment Stipulations

The following stipulations which have been checked are applicable to the attached Right-of-Way Encroachment License (Form R-1 or R-2).

- The Uinta County Road and Bridge Foreman shall be notified at least 24 hours prior to commencing construction **and** 24 hours after completion of construction. Evanston shop and Mountain View shop 782-3254.
- A pre-construction conference **must** scheduled with the Road and Bridge Foreman prior to commencing work.
- A letter specifying the name and location of an individual who will be representing the Applicant on the job and who is capable of instituting immediate changes in traffic control or work operation in order to bring construction into compliance with the terms of the license.
- All disturbed areas are to be returned to their original or better condition. All surface debris, boulders, etc., resulting from construction activity are to be removed from the road right-of-way.
- The Applicant shall be responsible for any damage to the county road and its appurtenances as a result of this installation at any time such damage occurs.
- The minimum depth of placement is to be 30 inches below the bottom of the ditch or borrow.
- Minimum cover over top of pipe is 18 inches.
- Backslope from edge of road to be no greater than 3:1.
- All pedestals, vents, etc., are to be installed at the right-of-way line.
- Subsequent leakage of any ditches breached by this installation which result in damage to the roadway and/or appurtenances or resulting in drainage problems in the road right-of-way are the responsibility of the Applicant and will be promptly repaired upon notification by the County.
- Crossing of the right-of-way is to be made by jacking, boring or mining ___ feet from roadway edge.
- An open trench method or plowing is approved.
- Casing type and joints shall be approved by the County Road and Bridge Foreman prior to installation and shall be capable of withstanding the load of the roadbed. The casing or conduit shall be installed in a manner to prevent the formation of a waterway under the county road.
- Where casing ends are below ground they shall be suitably installed to protect the entrance from foreign matter, which would prevent removal of the carrier.
- The trench is to be backfilled and compacted daily; no open trenching is to be left overnight.
- The backfill is to be compacted to 95% density before resurfacing. Temporary surfacing may be installed as needed but must be brought up to standard upon completion of work.
- Gravel surfaces in paved travel lanes must be surfaced within 3 days.

- _____ All anchors and pole locations must be installed at the right-of-way line.
- _____ The facility to be installed shall be maximum of _____ feet from the right-of-way line.
- _____ No material or equipment will be stockpiled or parked:
 - _____ within the right-of-way.
 - _____ within 15 feet of the roadway.
- _____ No work will be conducted from the roadway surface.
- _____ Manholes to be located at natural ground elevation so as to not present an obstruction in the right-of-way.
- _____ Minimum vertical clearance for overhead crossing will be 18 feet for all types of cables, communication lines and power lines of 600 volts or less.
- _____ Underground electrical and gas lines shall have signs posted where they cross the right-of-way or roadway.
- _____ The requirements contained in the Attachment to Right-of-Way Encroachment License For Fiber Optic Communications Facilities attachment shall apply.
- _____ Other: _____